

Page 1/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.11.2020

Version number 12.0

Revision: 17.11.2020

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

- · Trade name: KEIM LIGNOSIL-INCO
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Application of the substance / the mixture Silicate-based wood-paint for interior use.
- · Uses advised against All other uses are not recommended.
- · 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: KEIMFARBEN GMBH Keimstraße 16 / 86420 Diedorf Tel. +49 (0)821 4802-0 Fax +49 (0)821 4802-210 www.keim.com / info@keimfarben.de

- Further information obtainable from: Product safety department Telefon: 49(0)821/4802-138 E-Mail: sdb.info@keimfarben.de
- **1.4 Emergency telephone number:** GBK GmbH Global Regulatory Compliance Emergency number: +49(0)6132/84463

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:

EUH210 Safety data sheet available on request.

- EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
- · 2.3 Other hazards Alkaline product. Avoid contact with skin and eyes.
- Results of PBT and vPvB assessment
- **PBT:** Not applicable
- · **vPvB:** Not applicable

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• Description: Liquid solution from silicic acid potassium salt, silica sol, fillers and organic additives

(Contd. on page 2)



Page 2/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.11.2020

Version number 12.0

Revision: 17.11.2020

Trade name: KEIM LIGNOSIL-INCO

· Dangerous components:			
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119486799-10- xxxx	titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 µm] Carc. 2, H351	10-25%	
CAS: 1312-76-1 EINECS: 215-199-1 Reg.nr.: 01-2119456888-17- xxxx	Silicic acid, potassium salt Skin Irrit. 2, H315; Eye Irrit. 2, H319 Specific concentration limits: Skin Irrit. 2; H315: $C \ge 40 \%$ Eye Irrit. 2; H319: $C \ge 40 \%$	≤2.5%	

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

- When seeing the doctor we suggest to present this safety data sheet.
- After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Do not use solvents or thinners.

If skin irritation continues, consult a doctor.

• After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

- After swallowing:
- Rinse mouth and throat well with water.

Do not induce vomiting; call for medical help immediately.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

• 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released: silicon dioxid (SiO2)

carbon oxide (COx)

5.3 Advice for firefighters

· Specila protective equipment: Wear self-contained respiratory protective device.

(Contd. on page 3)



Page 3/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.11.2020

Version number 12.0

Revision: 17.11.2020

Trade name: KEIM LIGNOSIL-INCO

· Additional information

(Contd. of page 2)

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. In case of fire do not breathe smoke, fumes and vapours.

SECTION 6: Accidental release measures

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations. Clear contaminated areas thoroughly.

Flush rests with sufficient amount of water.

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Keep receptacles tightly sealed. Avoid contact with skin and eyes. Do not inhale aerosols. See item 8 (8.2) for information about suitable protective equipment and technical precautions. Respect the protection rules. Information about fire - and explosion protection: Cool endangered receptacles with water spray. · 7.2 Conditions for safe storage, including any incompatibilities · Storage: · Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles. Keep in the original containers in a cool and dry place. Information about storage in one common storage facility: Do not store together with acids. • Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Protect from frost. Protect from heat and direct sunlight. · Storage class: 12 (Contd. on page 4) - DEN



Page 4/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.11.2020

Version number 12.0

Revision: 17.11.2020

Trade name: KEIM LIGNOSIL-INCO

(Contd. of page 3)

 \cdot 7.3 Specific end use(s) No further relevant information available.

	neters
Ingredients with	limit values that require monitoring at the workplace:
	um dioxide [in powder form containing 1 % or more of particles with lynamic diameter \leq 10 $\mu\text{m}]$
AGW (Germany)	Long-term value: 1.25* 10** mg/m³ 2(II);*alveolengängig**einatembar; AGS, DFG
14808-60-7 Quart	z (SiO2)
MAK (Germany)	alveolengängige Fraktion
· Additional inform	nation: The lists valid during the making were used as basis.
 8.2 Exposure controls Personal protective equipment: General protective and hygienic measures: Avoid contact with the eyes and skin. Do not inhale aerosols. Wash hands before breaks and at the end of work. Immediately remove all soiled and contaminated clothing. Respiratory protection: Use suitable respiratory protective device only when aerosol or mist is formed. Filter: P Protection of hands: Protective gloves Material of gloves suitable material e.g.: Nitrile impregnated cotton-gloves Natural rubber, NR Recommended thickness of the material: ≥ 0.6 mm The selection of the suitable gloves does not only depend on the material, but also on further r of quality and varies from manufacturer to manufacturer. As the product is a preparation of se substances, the resistance of the glove material can not be calculated in advance and has ther to be checked prior to the application. Penetration time of glove material Value for the permeation: level ≥ 6 (480 min) The determined penetration times according to EN 16523-1:2015 are not performed under pra conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration is recommended. 	
	ightly sealed goggles Protective work clothing
 BOOV protection. 	



Page 5/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.11.2020

Version number 12.0

Revision: 17.11.2020

(Contd. of page 4)

Trade name: KEIM LIGNOSIL-INCO

No further relevant information available.

• 9.1 Information on basic physical and chemical properties		
· General Information · Appearance:		
Form:	Fluid	
Colour:	Different, according to colouring.	
Odour:	Odourless	
Odour threshold:	Not determined	
pH-value at 20 °C:	~11*	
Change in condition		
Melting point/freezing point:	~0 °C	
Initial boiling point and boiling range:		
Flash point:	Not applicable	
Flammability (solid, gas):	Not applicable	
Ignition temperature:	Not determined	
Decomposition temperature:	Not determined	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not applicable	
Upper:	Not applicable	
Oxidising properties:	Not applicable	
Vapour pressure at 20 °C:	~23 hPa	
Density at 20 °C:	1.2-1.4* g/cm ³	
Relative density	Not determined	
Vapour density Evaporation rate	Not applicable. Not determined.	
•		
Solubility in / Miscibility with water:	Miscible	
Partition coefficient: n-octanol/water:		
Viscosity: Dynamic at 20 °C:	400-600* mPas	
Dynamic at 20 °C: Kinematic:	A00-600° mPas Not determined	



Page 6/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.11.2020

Version number 12.0

Revision: 17.11.2020

Trade name: KEIM LIGNOSIL-INCO

• 9.2 Other information

* The values are for freshly produced material and may change with the time.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability Stable under normal conditions of storage and use.
- Thermal decomposition / conditions to be avoided:
 No decomposition if used according to energiations
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- · 10.5 Incompatible materials: Acids
- 10.6 Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 μm]

Ī	Inhalative	ATE mix (4h)	>5 mg/l (inhalation)	
		ATE mix	>2,000 mg/kg (dermal)	
			>2,000 mg/kg (orally)	
		NOAEL	3,500 mg/kg /Oral (rat) (90d)	
	1312-76-1	Silicic acid, p	ic acid, potassium salt	
ľ	Oral	LD50	>5,000 mg/kg (rat) (OECD 401)	
	Dermal	LD50	>5,000 mg/kg (rat) (OECD 402)	
	Inhalative	LC50/4 h	>5 mg/l (rat)	
	· Primary i	ritant effect:		
	· Skin corr	osion/irritatio	n Frequent persistent contact with the skin may cause skin irritation.	

Skin corrosion/irritation Fre

Serious eye damage/irritation

In case of longer exposure, slightly irritating effect to the eyes is possible.

· during inhalation: Irritant effect possible.

- · during swallowing: Irritant effect possible
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Other information (about experimental toxicology):

Experimental analysis are not available.

The product was not tested. The statements on toxicology have been derived from the properties of the individual components.

(Contd. on page 7)

(Contd. of page 5)



Page 7/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.11.2020

Version number 12.0

Revision: 17.11.2020

Trade name: KEIM LIGNOSIL-INCO

(Contd. of page 6)

· Repeated dose toxicity

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 μm]

Inhalative NOAEC 10 mg/m³ (rat) (90d)

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Not applicable

 \cdot Germ cell mutagenicity Based on available data, the classification criteria are not met.

 \cdot Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

 \cdot STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic tox	xicity:				
13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles wit aerodynamic diameter ≤ 10 μm]					
NOEC ≥100,000 mg/kg (sediment fresh water)					
EC50	>100 mg/kg (freshwater alga) (OECD 201)				
EC 50	>10,000 mg/l (algae) (ISO 10253)				
LC 50	>10,000 mg/l (marine fish) (OECD 203)				
	>1,000 mg/l (freshwater fish) (EPA-540/9-85-006)				
	>1,000 mg/l (daphnia) (OECD 202)				
1312-76-1 Silicic acid, potassium salt					
NOEC	>1 mg/l (fish)				
	>1 mg/l (invertebrates)				
EC 50/48h	>100 mg/l (daphnia) (OECD 202)				
EC 50/72 h	>100 mg/l (algae)				
LC 50/96 h	>100 mg/l (fish) (DIN EN ISO 7346-2)				
EC 0	>1,000 mg/l (activated sludge) (30min)				
 12.3 Bioacc 12.4 Mobilit Additional of AOX-indica Due to the s 	substance of content which do not include organic jointed halogens, the product can not				
 take influence on the AOX-load of the waste water. According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 2006/11/EC: The product contains TiO2. 					

(Contd. on page 8)



Page 8/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.11.2020

Version number 12.0

Revision: 17.11.2020

(Contd. of page 7)

Trade name: KEIM LIGNOSIL-INCO

· General notes:

The statements on ecotoxicology have been derived from the properties of the individual components.

Do not allow product to reach ground water, water course or sewage system.

At present there are no ecotoxicological assessments.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

· 12.5 Results of PBT and vPvB assessment

· PBT: Not applicable

vPvB: Not applicable

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Disposal must be made according to official regulations.

Must not be disposed with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

· Recommended cleansing agents: Water, if necessary with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA	Void	
 14.2 UN proper shipping name ADR, IMDG, IATA 	Void	
· 14.3 Transport hazard class(es)		
· ADR, IMDG, IATA · Class	Void	
 14.4 Packing group ADR, IMDG, IATA 	Void	
 14.5 Environmental hazards: Marine pollutant: 	No	
· 14.6 Special precautions for user	Not applicable	
 14.7 Transport in bulk according to An of Marpol and the IBC Code 	nex II Not applicable	
		(Contd. on page 9)

- DEN



Page 9/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.11.2020

Version number 12.0

Revision: 17.11.2020

(Contd. of page 8)

Trade name: KEIM LIGNOSIL-INCO

· Transport/Additional information:

No dangerous good in sense of these transport regulations. Void

· UN "Model Regulation":

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008
- For information on labelling please refer to section 2 of this document.
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- Other regulations, limitations and prohibitive regulations
- Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable
- · Product-Code/Giscode: BSW40
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

H319 Causes serious eye irritation.

- H351 Suspected of causing cancer.
- · Department issuing SDS: KEIMFARBEN Germany, Product safety department
- Abbreviations and acronyms:
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the
 International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 10)



Page 10/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.11.2020

Version number 12.0

Revision: 17.11.2020

(Contd. of page 9)

Trade name: KEIM LIGNOSIL-INCO

SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative AGW: Arbeitsplatzgrenzwert (Germany) EC10: Effective concentration at 10% mortality rate. EC50: Half maximal effective concentration. LC10: Lethal concentration at 10% mortality rate. NOEC: No observed effect concentration. REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006) Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Carc. 2: Carcinogenicity – Category 2 * * Data compared to the previous version altered.

DEN -